

**EMBRA  
CE OUR  
SMART  
ATTI  
TUDE**



**ESPRESSO**  
COFFEE MACHINES

## Welcome to ACM Espresso

A company proud to be defined as a familiar business, with still artisanal characteristics combined with the industrial processes, that can make the difference in the relationship with customers but, at the same time, guaranteeing efficiency, flexibility and reduced production times.

Since 2014, ACM has been producing professional coffee machines and representing Italian excellence with a product 100% Made in Italy.

Discover our Smart Attitude  
and let it support your business



# ABO UT US





OUR  
VALUES

## Discover our Values

ACM coffee machines stand out for their key strengths



Built to last, our machines guarantee consistent performance over time. The professional range is always ready when you are, streamlining daily routines and ensuring efficiency even in the most demanding conditions. For true espresso lovers, ACM domestic coffee machines bring the excellence of a professional bar experience into a compact design – ideal for those who see coffee as a daily pleasure without the need for larger capacity.

**Because reliability isn't just about the product, but also about keeping promises**

## A family-operated company

Born from pure entrepreneurial spirit and a bold vision, ACM journey into the world of coffee machines started with what some might call audacity, but at its core, it was fueled by a deep passion.

In an industry dominated by a few large corporations that have acquired numerous historic brands – sometimes relinquishing Italian heritage to foreign ownership – ACM stands apart. As one of the few remaining family-operated manufacturers, the company maintains a lean and flexible structure, allowing us to cultivate genuine, personal connections with customers.

# BEHI ND THE MACH INES

## Crafted with Italian precision

One of ACM's key strengths lies in our in-house metalworking plant, where we manufacture 100% of the frameworks for our coffee machines. This ensures complete control over quality, precision and durability. All professional components are sourced from the most qualified suppliers in Northern Italy, guaranteeing the excellence of a region renowned for its craftsmanship.

Every machine is thoroughly tested at the end of the production line, so that it reaches our customers ready to perform at its best from day one. We believe that true reliability is built on details –


**and it is precisely these details that make the difference**

# MADE IN ITALY



ACM HQ  
Cairate Varese

Offices  
Production and Logistic Department  
Solar Powered



METAL WORKING  
PLANT Biella

With Laser  
Cut and Folding Machineries  
Solar Powered

## Join our Network

ACM Espresso is building its business step by step to be a bridge between the quality of the made in Italy and the reliability of a smart technology. It's an ambitious project that we are ready to share worldwide.



AUSTRALIA AUSTRIA BELGIUM BOSNIA CROATIA CYPRUS CZECH REPUBLIC EGYPT FRANCE GERMANY GREECE HUNGARY INDIA INDONESIA ITALY JORDAN KENYA KOSOVO MOROCCO NEPAL NEW ZEALAND PHILIPPINES PUERTO RICO SLOVAK REPUBLIC SOUTH AFRICA SWITZERLAND THAILAND TURKMENISTAN UNITED ARAB EMIRATES UNITED KINGDOM VIETNAM



BELIEVED  
OF OUR  
FUTURE



# PRI SMA



## Professional / Prisma

Technical Data		2 gr	3 gr
Voltage	V	220-240 1N / 380-415 3N	380-415 3N
Power input	kW	3000	5000
Boiler capacity	lt	12	17
Net weight	kg	60	83
Gross weight	kg	71	98
Dimensions	cm	75x55x50h	100x55x50h
Packaging dimensions	cm	81x63x72h	110x63x72h

Versions	2 gr	3 gr
	2 steam taps	2 steam taps
	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters
	2 two-cup portafilters	3 two-cup portafilters



60mm



100mm

Max cup high

### Characteristics




**DOUBLE READING GAUGE**  
Enables the simultaneous regulation of both boiler pressure and distribution pressure



**MULTIFUNCTION DISPLAY**  
Real-time monitoring of machine operating parameters and enables configuration of primary system functions



**ELECTRONIC PRE-INFUSION OPTION**  
Controls the delayed activation of the water solenoid during the initial phase of brewing



**E 61-LIKE GROUP**  
Chromed brass grouphead, optimized for stable extraction temperature




**AUTO-CLEANING CIRCLE**  
Cleans the coffee group automatically



**ELECTRONIC AUTO-LEVEL**  
Automatically fills and maintains the boiler using an electronic level sensor



**PID TEMPERATURE CONTROL**  
Enables precise regulation of the boiler temperature




**CUP WARMER**  
Dedicated heating element keeps cups at the optimal temperature




**MANUAL BREWING BUTTON**  
Enables manual coffee extraction by bypassing the main control board



**LED ILLUMINATION WORKING AREA**  
Provides optimal illumination for working in any lighting condition



**SHOT TIMER**  
Ensures precise timing of coffee extraction



**PROGRAMMABLE ON-OFF TIMER**  
Set daily or weekly schedules for automatic operation



**ENHANCED HEATING ELEMENT**  
High-power heating element for faster heating

Optional

Certifications



### Available in levetta version

Standard Colors



Customization of side panels with graphics and colors (on request)

### Discover our full range



ROUNDER professional



EVOLVE professional



EVOLVE DARK professional



PRATIKA home



HOMEY home



HOMEY DARK home



[acm-company.com](http://acm-company.com)

Discover the full range of coffee machines

AUTOMATIC  
COFFEE MACHINES Srl

Via Matteotti, 28  
21050 Cairate (VA)

+39 0331 310 411  
[info@acm-company.it](mailto:info@acm-company.it)

# EVO LVE DARK



## Professional / Evolve Dark



85mm  
125mm  
**Max cup high**

Technical Data		1 gr	2 gr compact	2 gr	3 gr
Voltage	V	220-240 1N	220-240 1N	220-240 1N / 380-415 3N	380-415 3N
Power input	kW	2000	2500	3000	5000
Boiler capacity	lt	5	5	12	17
Net weight	kg	50	58	70	78
Gross weight	kg	54	69	81	93
Dimensions	cm	41x51x54h	60x51x54h	70x51x54h	94x51x54h
Packaging dimensions	cm	49x62x62h	81x63x72h	81x63x72h	110x63x72h

Versions	1 gr	2 gr compact	2 gr	3 gr
	1 steam tap	1 steam tap	2 steam taps	2 steam taps
	1 water tap	1 water tap	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters	1 one-cup portafilters	1 one-cup portafilters
	1 two-cup portafilters	2 two-cup portafilters	2 two-cup portafilters	3 two-cup portafilters

### Characteristics

- DOUBLE READING GAUGE**  
Enables the simultaneous regulation of both boiler pressure and distribution pressure
- ELECTRONIC PRE-INFUSION OPTION**  
Controls the delayed activation of the water solenoid during the initial phase of brewing
- EASY SERVICE**  
Quick access to internal components for fast maintenance
- AUTO-CLEANING CIRCLE**  
Cleans the coffee group automatically
- ELECTRONIC AUTO-LEVEL**  
Automatically fills and maintains the boiler using an electronic level sensor
- MANUAL BREWING BUTTON**  
Enables manual coffee extraction by bypassing the main control board
- LED ILLUMINATION WORKING AREA**  
Provides optimal illumination for working in any lighting condition

- SHOT TIMER**  
Ensures precise timing of coffee extraction
- PROGRAMMABLE ON-OFF TIMER**  
Set daily or weekly schedules for automatic operation

- MULTIFUNCTION DISPLAY**  
Provides real-time monitoring of machine operating parameters and enables configuration of primary system functions
- PID TEMPERATURE CONTROL**  
Enables precise regulation of the boiler temperature
- CUP WARMER**  
Dedicated heating element keeps cups at the optimal temperature
- ENHANCED HEATING ELEMENT**  
High-power heating element for faster heating

**Optional certifications**

**Standard Colors** Customization of side panels with graphics and colors (on request)

### Discover our full range



[acm-company.com](http://acm-company.com)  
Discover the full range of coffee machines

AUTOMATIC COFFEE MACHINES Srl  
Via Matteotti, 28  
21050 Cairate (VA)  
+39 0331 310 411  
info@acm-company.it

@acmespresso

# EVO LVE



## Professional / Evolve

Technical Data		1 gr	2 gr compact	2 gr	3 gr
Voltage	V	220-240 1N	220-240 1N	220-240 1N / 380-415 3N	380-415 3N
Power input	kW	2000	2500	3000	5000
Boiler capacity	lt	5	5	12	17
Net weight	kg	50	58	70	78
Gross weight	kg	54	69	81	93
Dimensions	cm	41x51x54h	60x51x54h	70x51x54h	94x51x54h
Packaging dimensions	cm	49x62x62h	81x63x72h	81x63x72h	110x63x72h

Versions	1 gr	2 gr compact	2 gr	3 gr
	1 steam tap	1 steam tap	2 steam taps	2 steam taps
	1 water tap	1 water tap	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters	1 one-cup portafilters	1 one-cup portafilters
	1 two-cup portafilters	2 two-cup portafilters	2 two-cup portafilters	3 two-cup portafilters



85mm



125mm

Max cup high

### Characteristics



**DOUBLE READING GAUGE**  
Enables the simultaneous regulation of both boiler pressure and distribution pressure



**ELECTRONIC PRE-INFUSION OPTION**  
Controls the delayed activation of the water solenoid during the initial phase of brewing



**EASY SERVICE**  
Quick access to internal components for fast maintenance



**AUTO-CLEANING CIRCLE**  
Cleans the coffee group automatically




**ELECTRONIC AUTO-LEVEL**  
Automatically fills and maintains the boiler using an electronic level sensor



**MANUAL BREWING BUTTON**  
Enables manual coffee extraction by bypassing the main control board



**LED ILLUMINATION WORKING AREA**  
Provides optimal illumination for working in any lighting condition




**SHOT TIMER**  
Ensures precise timing of coffee extraction



**PROGRAMMABLE ON-OFF TIMER**  
Set daily or weekly schedules for automatic operation



**MULTIFUNCTION DISPLAY**  
Provides real-time monitoring of machine operating parameters and enables configuration of primary system functions



**PID TEMPERATURE CONTROL**  
Enables precise regulation of the boiler temperature



**CUP WARMER**  
Dedicated heating element keeps cups at the optimal temperature



**ENHANCED HEATING ELEMENT**  
High-power heating element for faster heating

Optional

Certifications



Standard Colors



Customization of side panels with graphics and colors (on request)

### Discover our full range



ROUNDER professional



EVOLVE DARK professional



PRISMA professional



PRATIKA home



HOMEY home



HOMEY DARK home



[acm-company.com](http://acm-company.com)

Discover the full range of coffee machines

AUTOMATIC COFFEE MACHINES Srl

Via Matteotti, 28  
21050 Cairate (VA)

+39 0331 310 411  
[info@acm-company.it](mailto:info@acm-company.it)



@acmespresso



# ROUNDER UP FULL WHITE

Professional / **Rounder UP**



Technical Data		1 gr	2 gr compact	2 gr	3 gr
Voltage	V	220-240 1N	220-240 1N	220-240 1N / 380-415 3N	380-415 3N
Power input	kW	2000	2500	3000	5000
Boiler capacity	lt	5	5	12	17
Net weight	kg	34	43	54	70
Gross weight	kg	38	54	65	85
Dimensions	cm	37x54x52h	56x54x52h	66x54x52h	90x54x52h
Packaging dimensions	cm	49x62x62h	81x63x72h	81x63x72h	110x63x72h

85mm

125mm

**Max cup high**

Versions	1 gr	2 gr compact	2 gr	3 gr
	1 steam tap	1 steam tap	2 steam taps	2 steam taps
	1 water tap	1 water tap	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters	1 one-cup portafilters	1 one-cup portafilters
	1 two-cup portafilters	1 two-cup portafilters	1 two-cup portafilters	2 two-cup portafilters

Available in semi-automatic version

Standard Colors  

Customization of side panels with graphics and colors (on request)

Discover our full range



**EVOLVE**  
professional



**EVOLVE DARK**  
professional



**PRISMA**  
professional



**PRATIKA**  
home



**HOMEY**  
home



**HOMEY DARK**  
home

Optional

Certifications



**DOUBLE READING GAUGE**  
Enables the simultaneous regulation of both boiler pressure and distribution pressure



**ELECTRONIC PRE-INFUSION OPTION**  
Controls the delayed activation of the water solenoid during the initial phase of brewing



**EASY SERVICE**  
Quick access to internal components for fast maintenance



**AUTO-CLEANING CIRCLE**  
Cleans the coffee group automatically



**ELECTRONIC AUTO-LEVEL**  
Automatically fills and maintains the boiler using an electronic level sensor



**CUP WARMER**  
Dedicated heating element keeps cups at the optimal temperature



**ENHANCED HEATING ELEMENT**  
High-power heating element for faster heating



**MANUAL BREWING BUTTON**  
Enables manual coffee extraction by bypassing the main control board



**LED ILLUMINATION WORKING AREA**  
Provides optimal illumination for working in any lighting condition

BASIC VERSION INCLUDES: STAINLESS STEEL FRONT, COLORED SIDES. THE PHOTO SHOWS THE ROUNDER UP WITH A FULLY WHITE PAINTED FRONT PANEL. AVAILABLE ALSO WITH FULLY BLACK PAINTED FRONT PANEL



[acm-company.com](http://acm-company.com)

Discover the full range of coffee machines

AUTOMATIC COFFEE MACHINES Srl


Via Matteotti, 28  
21050 Cairate (VA)

+39 0331 310 411  
[info@acm-company.it](mailto:info@acm-company.it)

# HOMIEY DARK



Home / Homey Dark



90mm

Max cup high


Technical Data		1 gr - Vibration	1 gr - Rotary
Voltage	V	220-240 1N	220-240 1N
Power input	kW	1100	1100
Pump power	kW	48	100
Boiler capacity	lt	1.5	1.5
Water tank capacity	lt	2.5	Switchable from water tank to a fixed water connection
Net weight	kg	23	25
Gross weight	kg	27	29
Dimensions	cm	28x41x40h	28x41x40h
Packaging dimensions	cm	35x48x57h	35x48x57h

Versions	1 gr - Vibration	1 gr - Rotary
	1 steam tap	1 steam tap
	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters
	1 two-cup portafilters	1 two-cup portafilters

**Standard Colors**

● Customization of side panels with graphics and colors (on request)

Characteristics




**E 61-LIKE GROUP**

Chromed brass grouphead, optimized for stable extraction temperature



**EASY SERVICE**

Quick access to internal components for fast maintenance



**ELECTRONIC AUTO-LEVEL**

Automatically fills and maintains the boiler using an electronic level sensor



**SHOT TIMER**

Ensures precise timing of coffee extraction



**PLUG & PLAY**

Connect, power on, and brew effortlessly




**ECO-MODE SYSTEM**

Automatically reduces energy consumption after a period of inactivity




**STAINLESS STEEL BOILER**

Built for long-lasting performance



**PUMP & BOILER DUAL GAUGES**

Provide control over coffee extraction and boiler pressure



**WOOD COMPONENTS**

Walnut group, tap and portafilter handles

Optional

Certifications



Discover our full range



**ROUNDER**  
professional



**EVOLVE**  
professional



**EVOLVE DARK**  
professional



**PRISMA**  
professional



**PRATIKA**  
home



**HOMIEY**  
home



[acm-company.com](http://acm-company.com)

Discover the full range of coffee machines

AUTOMATIC  
COFFEE MACHINES Srl


Via Matteotti, 28  
21050 Cairate (VA)

+39 0331 310 411  
[info@acm-company.it](mailto:info@acm-company.it)

# HOMMEY



## Home / Homey



90mm

Max cup high

Technical Data		1 gr - Vibration	1 gr - Rotary
Voltage	V	220-240 1N	220-240 1N
Power input	kW	1100	1100
Pump power	kW	48	100
Boiler capacity	lt	1.5	1.5
Water tank capacity	lt	2.5	Switchable from water tank to a fixed water connection
Net weight	kg	23	25
Gross weight	kg	27	29
Dimensions	cm	28x41x40h	28x41x40h
Packaging dimensions	cm	35x48x57h	35x48x57h

Versions	1 gr - Vibration	1 gr - Rotary
	1 steam tap	1 steam tap
	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters
	1 two-cup portafilters	1 two-cup portafilters

### Standard Colors



Customization of side panels with graphics and colors (on request)

### Characteristics



**E 61-LIKE GROUP**  
Chromed brass grouphead, optimized for stable extraction temperature



**EASY SERVICE**  
Quick access to internal components for fast maintenance



**ELECTRONIC AUTO-LEVEL**  
Automatically fills and maintains the boiler using an electronic level sensor




**PLUG & PLAY**  
Connect, power on, and brew effortlessly




**ECO-MODE SYSTEM**  
Automatically reduces energy consumption after a period of inactivity



**STAINLESS STEEL BOILER**  
Built for long-lasting performance



**SHOT TIMER**  
Ensures precise timing of coffee extraction



**PUMP & BOILER DUAL GAUGES**  
Provide control over coffee extraction and boiler pressure

### Optional

### Certifications



### Discover our full range



ROUNDER professional



EVOLVE professional



EVOLVE DARK professional



PRISMA professional



PRATIKA home



HOMMEY DARK home




[acm-company.com](http://acm-company.com)  
Discover the full range of coffee machines

# PRA TI KA



Home / Pratika



100mm

Max cup high

Technical Data		1 gr - Vibration	1 gr - Rotary
Voltage	V	220-240 1N	220-240 1N
Power input	kW	1100	1100
Pump power	kW	48	100
Boiler capacity	lt	1.5	1.5
Water tank capacity	lt	2.5	Switchable from water tank to a fixed water connection
Net weight	kg	20	22
Gross weight	kg	24	26
Dimensions	cm	25x35x40h	25x35x40h
Packaging dimensions	cm	35x48x57h	35x48x57h

Versions	1 gr - Vibration	1 gr - Rotary
	1 steam tap	1 steam tap
	1 water tap	1 water tap
	1 one-cup portafilters	1 one-cup portafilters
	1 two-cup portafilters	1 two-cup portafilters
	Available in semi-automatic version	

Standard Colors



Customization of side panels with graphics and colors (on request)

Discover our full range



**ROUNDER**  
professional



**EVOLVE**  
professional



**EVOLVE DARK**  
professional



**PRISMA**  
professional



**HOMEY**  
home




**HOMEY DARK**  
home

Optional

Certifications



**ECO-MODE SYSTEM**  
Automatically reduces energy consumption after a period of inactivity



**PUMP & BOILER DUAL GAUGES**  
Provide control over coffee extraction and boiler pressure.



**WOOD COMPONENTS**  
Walnut group, tap and portafilter handles



Characteristics



**EASY SERVICE**  
Quick access to internal components for fast maintenance



**ELECTRONIC AUTO-LEVEL**  
Automatically fills and maintains the boiler using an electronic level sensor



**PLUG & PLAY**  
Connect, power on, and brew effortlessly



**STAINLESS STEEL BOILER**  
Built for long-lasting performance



[acm-company.com](http://acm-company.com)

Discover the full range of coffee machines

AUTOMATIC  
COFFEE MACHINES Srl

Via Matteotti, 28  
21050 Cairate (VA)

+39 0331 310 411  
[info@acm-company.it](mailto:info@acm-company.it)



**AUTOMATIC COFFEE MACHINES Srl**

**HEADQUARTERS**

Via Matteotti, 28  
21050 Cairate (VA) ITALY

+39 0331 310 411  
[info@acm-company.it](mailto:info@acm-company.it)  
[acm-company.com](http://acm-company.com)

[@acmespresso](#)

